



SUPPLEMENTAL/BID BULLETIN NO. 1

Date: August 27, 2025
Title: SUPPLY, DELIVERY, & INSTALLATION OF UNMANNED SURVEY VESSEL (USV) FOR HYDROGRAPHIC SURVEYING OF EVSU-COE MAIN CAMPUS
Reference No.: 12308099

This bulletin is being issued to revise/clarify certain portions of the bidding documents. This shall form an integral part of the bidding document for the above-mentioned procurement project.

REFERENCE/QUERY	AMMENDMENTS/ CLARIFICATIONS
May we request an extension of the delivery period from 60 calendar days to 90 calendar days?	We are anticipating the issuance of our Certificate of Project Completion (COPC) before September; hence, we are retaining the original delivery period of sixty (60) calendar days as stated in the bidding documents. However, the supplier may request an extension of the delivery period for valid and justifiable reasons, provided that such request is submitted in writing and is subject to the approval of the procuring entity, provided that such extension shall not exceed the original delivery period as stated in the contract.
Section III. Bid Data Sheet ITB Clause 5.3 For this purpose, contracts similar to the Project shall be: a) SUPPLY, DELIVERY, & INSTALLATION OF UNMANNED SURVEY VESSEL (USV) FOR HYDROGRAPHIC SURVEYING OF EVSU-COE MAIN CAMPUS b) completed within two (2) years prior to the deadline for the submission and receipt of bids.	Section III. Bid Data Sheet ITB Clause 5.3 For this purpose, contracts similar to the Project shall be: a) SUPPLY, DELIVERY, AND/OR INSTALLATION OF SURVEYING LABORATORY EQUIPMENT, HYDROGRAPHIC SURVEY SYSTEMS, OR OTHER SIMILAR SCIENTIFIC OR SURVEYING INSTRUMENTS b) completed within two (2) years prior to the deadline for the submission and receipt of bids.
We currently do not have any completed contracts similar to the required equipment that meet the SLCC percentage requirement. While we have undertaken similar projects, their contract amounts fall below the required threshold. May we still be allowed to participate in the bidding?	SLCC Requirements under Section 23.4.1.3 of the Revised IRR of RA 9184, states that: <i>"23.4.1.3 The bidder must have completed, within the period specified in the Invitation to Bid, an SLCC that is similar to the contract to be bid, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC.</i> <i>If, at the outset and after conducting market research, the Procuring Entity</i>



BIDS AND AWARDS COMMITTEE

REFERENCE/QUERY	AMMENDMENTS/ CLARIFICATIONS
	<p>can already determine that imposing the same will likely result to: (a) failure of bidding, or (b) monopoly that will defeat the purpose of competitive bidding, the Procuring Entity, in lieu of the above, may require the following:</p> <p>a) The bidder should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above; and</p> <p>b) The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.</p> <p>For this purpose, the similar contracts mentioned under (a) and (b) above must have been completed within the period specified in the Invitation to Bid. The Procuring Entity may clarify in the Bidding Documents the definition or description of what it considers to be a similar project.”</p>

All statements and formats referring to this clause should be amended/corrected accordingly.

For guidance and information of all concerned.

For further information, please refer to:

(SGD) VINCENT B. CABANTOC
Head, BAC Secretariat
CP No. 0953-355-7046 - TM
Email Add: evsu.bacsecretariat@evsu.edu.ph

Noted:

(SGD) LYDIA M. MORANTE, DA
Vice President for Administration & Finance
Chairperson, Bids and Awards Committee

