SUPPLEMENTAL/BID BULLETIN NO. 1

Date: November 10, 2026
Title: IB-2026-10-29 SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS MAIN CAMPUS
Reference No.: 111850

This bulletin is being issued to revise/clarify certain portions of the bidding documents. This shall form an integral part of the bidding documents for the above-mentioned procurement project.

QUERIES/REFERENCE	AMENDMENTS/CLARIFICATIONS
Regarding the delivery location, may we confirm whether all lots under this project will be delivered to the Main Campus?	Yes. All items under this project shall be delivered to the Main Campus.
May we request the Committee to review certain specifications in coordination with the concerned end-users, particularly those that appear to contain typographical errors, such as Items 13, 14, 16, and 17 under Lot 1? We also have concerns regarding the specifications of certain items under the other lots.	Please refer to Annex “A” for the amended Technical Specifications.
The required delivery period is 60 calendar days. While some items are locally available, others are on a per-order basis and may require additional lead time. In this regard, we would like to request a more detailed delivery schedule specifying the lots or items to be delivered first, including their respective delivery locations within the Main Campus. Some items may require considerable storage space upon delivery. Hence, we intend to deliver the items by lot to avoid warehousing and storage concerns. May we request the necessary coordination and detailed delivery arrangements?	The detailed delivery schedule and arrangements shall be discussed further with the identified Lowest Calculated Bidder (LCB) during the post-qualification process.
Will payment be made on a per-lot basis, or will payment only be processed upon the complete delivery of all items under the project?	Payment shall be made on a per-delivery basis, subject to the applicable inspection, acceptance, and payment requirements.
Regarding the SLCC requirement, our company is engaged in both construction and supply, although our current operations are primarily focused on construction. However, we have completed several supply contracts with private entities. May these private contracts be considered in complying with the SLCC requirement? What supporting documents should we submit to establish the completion of these contracts?	Contracts with private entities may be submitted for purposes of establishing compliance with the SLCC requirement, provided that they meet the prescribed eligibility criteria under the Bidding Documents. Supporting documents may include copies of the contract or its equivalent, delivery receipts, and sales invoices, as applicable, to establish the successful completion of the contract. The completed contract must have been undertaken within the prescribed five-year period.

Section VII. Technical Specifications

IB-2026-09-26 SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS–MAIN CAMPUS

LOT NO.	DESCRIPTION	QTY	UNIT	Statement of Compliance
1	**P.R. No. 03-0375-26 IGP OFFICE**	1	LOT	

Item No.	Description	Qty	Unit
1	33 pcs 6" Sanitary Pipe, S1000	33	pcs
2	6" Sanitary Coupling, S1000	27	pcs
3	4" Sanitary Coupling, S1000	30	pcs
4	4" Sanitary Pipe, S1000	27	pcs
5	4" Sanitary Elbow, 45 Degrees	38	pcs
6	2" Sanitary Elbow, 45 Degrees	38	pcs
7	2" Sanitary Pipe, S1000	25	pcs
8	2" Sanitary Tee Coupling, S1000	25	pcs
9	Sanitary "Y" Reducer, 4"X2"	38	pcs
10	Sanitary Elbow, 45 Degrees, 2"	30	pcs
11	6" Sanitary Elbow, 45 Degrees	20	pcs
12	PVC Solvent Cement, Heavy Duty	15	ltrs
13	GTS #5	20	pcs
14	PVC Reducer 3x2	23	pcs
15	PVC Tee 2x2	7	pcs
16	PVC Elbow 2x45"	27	pcs
17	PVC Elbow 2x90"	25	pcs
18	PVC Clean out x2	20	pcs
19	Pipe x2	20	pcs
20	4" Concrete Hollow Blocks (CHB)	700	pcs
21	Coresand	15	cu.m
22	Gravel, G1	12	cu.m
23	Cement, Masonry	73	bags
24	Cement, Premium	73	bags

2	**P.R. No. 05-0463-26 GSOSO**	1	LOT	

Item No.	Description	Qty	Unit
1	Water Pump with accessories Vertical Centrifugal Multi Stage Pump 220V, 60Hz, Three Phase KW: 7.5, Max Flow m3/hr: 13, Max Head: 173, inlet/outlet diameter (mm): 40 with Standard Cast Iron Movable Flange Accessories: * 5 pcs - PPR Pipe, 2" * 3 pcs - PPR Coupling, 2" * 8 pcs - PPR Elbow, 45 deg, 2" * 4 pcs - Ball Valve, 2", Brass Type * 8 pcs – PPR Male Adaptor, 2" * 8 pcs - PPR Female Adaptor, 2" * 4 pcs - Non-return Valve, Swing Type (Swing Valve), 2", Brass * 6 pcs - Float Switch, Swing Type 3 wires	1	pc
2	Pipe Wrench 14" heavy duty	2	pcs
3	Pipe Wrench 12" heavy duty	2	pcs
4	Hacksaw Blade 12" 18T | 24T Bi-Metal High Speed Hack Saw Blade for Metal Cutting IHT	5	pcs
5	Three-arm bearing puller, heavy duty	1	pc
6	Three-point Leveling Laser alignment	1	pc
7	Vibration meter	1	pcs

3	**P.R. No. 06-0502-26 GSOSO**	1	LOT	

Item No.	Description	Qty	Unit
1	**4" Diamond Masonry Cutting Disc -Continuous** Diameter: 4", Product type: Continuous rim circular saw, Blade compatibility: small angle, Grinder and tile cutter thickness: 0.059" thick, Arbor size: 5/8"	20	pcs
2	**14" Cut-Off Saw Cutting Disc** Specification: A 30 S BF, Diameter mm: 355, Thickness mm: 3.0,	20	pcs

		Materials that can be processed (Detail): Steel / ferrous metal					
	3	**Measuring Steel Tape, 5m Long** Length: 5m x 16ft., Height: 19mm, Standout: 1.7m, Tough and High Quality, True Zero Hook, Good Standout	5	pcs			
	4	**Measuring Meter** Blade length: 50m/165’ Blade Width: 1/2" Blade Material: Fiberglass Accuracy: II (Metric only) Blade Print: 2-sided	1	pcs			
	5	**Jig saw Blade #3** Application: Softwood, OSB, plywood 7132" - 2-3/8" Blade Height: 0.3" Blade Length: 4.0 Blade Thickness: 0.05" Jig Saw Blade Type: Jig Saw T-Shank Material: High Carbon Steel Overall Length: 4.0 Quantity: 5 Teeth Per Inch: 8 teeth per inch Tooth Design: Side set and milled wood Type: Basic for wood working Length: 3'	5	pcs			
	6	**Diamond Glass Cutter** Length: 130mm With Wooden handle, Glass Cutter With 6pcs wheels blade, Total Cutting Length: 3000 x 6 =18000m	2	pcs			
	7	**Heavy Duty 4" Scaffold Caster Wheel with lock**	4	pcs			
	8	**Heavy Duty Tin snip 12"**	1	set			
	9	**Drill Bit, Masonry, Granite application** **Material:** tungsten steel alloy Bit Tile & Glass drill bit cement and concrete drill bits **Coated:** Titanium Drill **Diameter:** 3mm14mm / 5mm / 6mm 18mm 1 10mm / 12mm	4	sets			
	10	**Drill Bit, Steel, Heavy duty** Sizes Included: 1, 1.5, 2, 2.5, 3, 3.5.4, 45, 5, 5.5, 6, 6.5, 7. 7.5. 8. 8.5, 9, 9.5, 10mm Type: Cobalt HSS (High-Speed Steel)	4	sets			
	11	**Heavy Duty Riveter 4 nose** **Material:** 20Cr Convenient replacement of nose piece, 10.5” (265mm) **Nose piece specifications:** 2.4-3.2-4.0-4,8mm Four type of rivets included. 15pcs each	2	sets			
	12	**Heavy Duty Tin Snip 8"**	1	set			
	13	**Circular saw blade carbide tip wood 10"x 40T**	5	units			
	14	**Carbon Brush #153**	10	pcs			
	15	**Heavy Duty Spade Shovel** Wooden Handle Length: 1470mm Shovel weight: 1kg, Shovel head width: 280mm. Shovel head length: 235mm. Material: carbon steel	6	pcs			
	16	**Heavy Duty pointed Shovel** Wooden handle Length: 1020 mm Shovel weight: 1 kg Shovel head width:215mm Shovel head length:290mm Material: carbon steel	6	pcs			

	17	**Wheel Borrow, Heavy Duty** Load Capacity: 130 kg Water Capacity: 65 L Sand capacity: 5 CBF Wheel Size: 13" x 34 Wheel Material: Solid Rubber L: 1400 mm, H: 460 mm C: 560 mm, A: 820 mm B: 660 mm, h: 246 mm Weight: 1kg	1	pc			
4	**P.R. No. 06-0503-26 GSOSO**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Safety Glass Product Material: Plastic clean and transparent lens with round shape	10	pcs			
	2	**Safety Shoes (Puncture Proof Foot Sole)** Safety Shoes (Puncture Proof Foot Sole) Safety Shoes Water Resistant Upper, Heel Energy Absorption, Waterproof shoe, composite or steel toecap, Slip Resistant outsole and puncture resistance Optional Sizes: 39 / 41 / 42 / 43 / 44	15	pair			
	3	**Enamel Coated Cotton Gloves** Type: rubber gloves, Glove material: cotton yarn, Latex color: orange	80	pairs			
	4	Construction Reflected Vest Size L - XL, Color: fluorescent orange	5	pcs			
5	**P.R. No. 07-0516-26 CAAD**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	1/4 Plywood, 2 pcs	1	lot			
		Sista Waterproofing, gallon, 1 pc					
		Elastomeric Sealant, liter/can, 1 pc					
		Sandpaper #220, pcs, 10 pcs					
		Sandpaper #120, 15 pcs					
		Tekscrew - 1 inch, 100 pcs					
		Wood Tekscrew - 1- 1/2, 100 pcs					
		Ceramic Tile - 60cm x 60cm, 12 pcs					
6	**P.R. No. 07-0538-26 SAS**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Water proofing, cement mixed type	150	gals			
	2	Water proofing, sealant type	30	gals			
	3	Water proofing paint, Heavy Foot Traffic Application, Roof deck Application	150	gals			
	4	Roller brush, 7" refill	60	pcs			
	5	Roller brush, 7"	30	sets			
	6	Paint brush, 4"	20	pcs			
	7	Cement, premium	150	bags			
	8	Fine sand	10	cubic meter			
	9	Epoxy paint	20	gals			
7	**P.R. No. 07-0539-26 SAS**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Cutting Disc, 4" Metal Application	30	pcs			
	2	Fine sand	15	cubic meter			
	3	Cement, Portland type	50	bags			
	4	Crack filler, powder, concrete application	50	bags			
	5	Paint, Latex, Flat, White	40	pails			
	6	Paint brush, 2"	10	pcs			
	7	Roller brush, 7"	10	sets			
	8	Roller brush, 7", refill	10	pcs			

	9	Paint, Acrytex, Primer, Sealer Type	100	gals			
	10	Paint, Dirt resisting Type, White	100	gals			
	11	Paint, Latex, Gloss Type, Premium	30	pails			
	12	Roller brush pan	4	pcs			
	13	Crack filler, mixed type, all-purpose app	4	gals			
8	**P.R. No. 08-0564-26 GSOSO**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Epoxy floor paint reducer	25	gals			
	2	Roof Sealant	30	ltr			
	3	Paint Thinner	40	gals			
	4	Lacquer Thinner	40	gals			
	5	Epoxy floor paint	40	gals			
	6	Epoxy floor primer paint	40	gals			
	7	Tile adhesive	50	bags			
	8	Traffic Paint, Yellow	10	gals			
	9	Traffic Paint, Black	10	gals			
9	**P.R. No. 08-0565-26 GSOSO**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Paint brush, 3"	2	pcs			
	2	Paint brush, 1 1/2"	2	pcs			
	3	Roller brush pole	2	pcs			
	4	Putty Knife	6	pairs			
	5	Roller brush set,7"	2	set			
	6	Roller brush refill,7"	4	pcs			
	7	Painting masking tape,1"	4	rolls			
	8	Waste cotton	10	kgs			
	9	Waterproofing, cement mixed type	30	gal			
	10	Waterproofing, Sealant	4	gal			
	11	Waterproofing paint for Heavy Foot Traffic, Roof deck Application	30	pails			
10	**P.R. No. 08-0566-26 GSOSO**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Paint, Latex, Gloss *10 pails- Tile Red * 10 pails- Cream	20	pail			
	2	Body Filler	100	ltrs			
	3	Paint, Epoxy Primer	20	gals			
	4	Paint, Enamel	20	gals			
	5	Acrylic Primer, Latex	50	gals			
	6	Acrytex Primer, Paint	50	gals			
	7	Acrytex Paint Reducer	30	gals			
	8	Plastic Varnish	30	gals			
	9	Asstd. Tinting Color 1/4ltr	20	ltrs			
	10	Roof Paint and Seal	30	gals			
	11	Concrete epoxy sealer, color: clear	30	gals			
	12	Chlorinated Rubber-Based Floor Coating Color: Pacific Gray	30	gals			
11	**P.R. No. 08-0567-26 GSOSO**				**1**	**LOT**	
	Item No.	**Description**	**Qty**	**Unit**			
	1	Cement Type I, 40 kg per bag	100	bags			
	2	4" CHB (Concrete Hollow Blocks) – Size: 100 mm x 200 mm x 400 mm; standard load-bearing type; machine-made; free from cracks and defects.	80	pcs			
	3	Fine Sand Particle size: 0.25 mm; fine, free from clay, silt, and organic materials; suitable for plastering and masonry works	20	cubic			
	4	Coarse Sand Particle size: 1.0 mm; granular texture; clean and well-graded; free from impurities; suitable for masonry and concrete works	20	cubic			
	5	Gravel, G1 Crushed gravel, G1; standard size (20 mm); clean and free from dirt and organic matter	15	cubic			

12	P.R. No. 08-0568-26 GSOSO				1	LOT	
	Item No.	Description	Qty	Unit			
	1	GI Sheet (12' x 0.40 mm) thickness: 0.40 mm; width: 0.91 m (3 ft); length: 3.66 m (12 ft); plain finish; corrosion-resistant; free from rust and dents.	40	sheets			
	2	Heavy Duty Door Knob Cylindrical lockset; stainless steel; with 3 keys; backset: 60 mm; heavy-duty grade.	20	set			
	3	Door Hinge (2" x 4") Butt hinge; size: 50 mm x 100 mm; stainless steel; thickness: 2 mm; with mounting screws.	52	pair			
	4	Door Jamb (0.80 m x 2.10 m) Wooden door jamb; width: 0.80 m; height: 2.10 m; thickness: 25 mm; kiln-dried; smooth finish.	20	pcs			
	5	Flat Bar (1½" x ¼") Mild steel flat bar; width: 38 mm; thickness: 6 mm; length: 6.00 m; straight and free from defects	20	pcs			
	6	Assorted Finishing Nails Polished steel; sizes: 5 kgs- 1", 5 kgs- 1½", 5 kgs- 2"; smooth shank; rust-resistant.	15	kgs			
	7	Umbrella Nail (2") Length: 50 mm; GI nail with umbrella head; with rubber washer; corrosion-resistant.	10	kgs			
	8	Tek Screw 3" (For wood) Length: 75 mm; self-drilling; coarse thread; zinc-coated.	200	pcs			
	9	Tek Screw 3" (For steel) Length: 75 mm; self-drilling with drill point; fine thread; zinc-coated.	200	pcs			
	10	Welding Rod (3.2 mm) Diameter: 3.2 mm; length: 350 mm; for mild steel welding.	50	kgs			
	11	Tie wire (#16) Gauge: #16; diameter: 1.6 mm; annealed steel; soft and flexible.	20	kgs			
	12	Wood Glue 500 mL per bottle; strong bond; fast drying.	10	ltr			
	13	Sakoline/Trapal (8 ft x 15 ft) polyethylene tarpaulin; waterproof (Blue, Red, Orange)	7	rolls			
	14	Self-Tapping black Screw (1½" x 6 mm)	5	box			
	15	Gypsum Board (1/4" x 4' x 8') Thickness: 6 mm; width: 1.22 m; length: 2.44 m; standard drywall panel.	50	sheets			
	16	Gypsum screw (1") Length: 25 mm; fine thread; black phosphate coated	700	pcs			
	17	Double furring (0.5 mm x 5.00 m)	50	pcs			
	18	Wall angle furring (0.5 mm x 5.00 m)	50	pcs			
	19	Angle Bar, 1"x4mm	30	pcs			
	20	Angle Bar, 2"x4mm	30	pcs			
	21	Welding rod, slim type Diameter: 2.5 mm; length: 300 mm	4	box			
	22	Blind Rivets, (1/8" x 1/2")	5	box			
	23	Polycarbonate sheet (4 mm x 4' x 8')	11	sheets			
	24	Ficem perforated paper tape Width: 50 mm; length: 75 m per roll	4	rolls			
	25	Galvanized pipe diameter: 100 mm (4 in); wall thickness: 1.5 mm; length: 6.00 m; corrosion-resistant.	3	pcs			
	26	Square Tube, Stainless (1" x 1" x 1.5 mm)	2	pcs			
	27	3" Common Wire Nail (CWN)	1	box			

<table>
<tr><td>13</td><td colspan="4">P.R. No. 08-0581-26 GSOSO</td><td>1</td><td>LOT</td><td></td></tr>
<tr><td></td><td colspan="4"><table>
<tr><th>Item No.</th><th>Description</th><th>Qty</th><th>Unit</th></tr>
<tr><td colspan="4">SUPPLY AND DELIVERY OF COMMON MAINTENANCE MATERIALS FOR PHYSICAL INFRASTRUCTURE AND ENGINEERING UNIT (CIVIL WORKS)</td></tr>
<tr><td>1</td><td>Tiles, Ceramic, 40 cm X 40cm, White</td><td>100</td><td>Pcs</td></tr>
<tr><td>2</td><td>Tiles, granite, 60 cm X 60cm, Ivory</td><td>200</td><td>pcs</td></tr>
</table></td><td></td><td></td><td></td></tr>
<tr><td>14</td><td colspan="4">P.R. No. 08-0582-26 GSOSO</td><td>1</td><td>LOT</td><td></td></tr>
<tr><td></td><td colspan="4"><table>
<tr><th>Item No.</th><th>Description</th><th>Qty</th><th>Unit</th></tr>
<tr><td>1</td><td>Urinal Flush Valve Manual flush valve, exposed type, chrome-plated brass body, 1/2-inch inlet connection, complete with installation accessories.</td><td>15</td><td>set</td></tr>
<tr><td>2</td><td>Lavatory Faucet Deck-mounted, chrome-plated brass body, ceramic disc cartridge, 1/2-inch inlet connection, complete with mounting hardware.</td><td>15</td><td>pcs</td></tr>
<tr><td>3</td><td>Bidet Handheld bidet spray set with ABS or stainless-steel spray head, stainless steel flexible hose, wall bracket, and 1/2-inch inlet connection.</td><td>15</td><td>set</td></tr>
<tr><td>4</td><td>Teflon Tape minimum 12 mm width</td><td>25</td><td>pcs</td></tr>
<tr><td>5</td><td>Angle Valve, 2 way</td><td>25</td><td>pcs</td></tr>
<tr><td>6</td><td>Angle Valve, 3 way</td><td>25</td><td>pcs</td></tr>
<tr><td>7</td><td>Flexible Hose 1/2" x 20"</td><td>25</td><td>roll</td></tr>
<tr><td>8</td><td>Water Closet white, siphonic flush system, complete with flush tank, toilet seat and cover, flush mechanism, wax seal, bolts, and installation accessories.</td><td>10</td><td>set</td></tr>
<tr><td>9</td><td>Bathroom Faucet Deck-mounted, chrome-plated brass body, ceramic disc cartridge, 1/2-inch inlet connection, complete with installation accessories.</td><td>20</td><td>set</td></tr>
<tr><td>10</td><td>PVC 2” Series 600mm</td><td>30</td><td>pcs</td></tr>
<tr><td>11</td><td>PVC Elbow 2" x 90°</td><td>30</td><td>pcs</td></tr>
<tr><td>12</td><td>Solvent Cement 1 Liter Heavy-duty PVC solvent cement, 1-liter container, fast-setting, suitable for joining uPVC pipes and fittings</td><td>20</td><td>pcs</td></tr>
<tr><td>13</td><td>2 pvc clean out</td><td>20</td><td>pcs</td></tr>
<tr><td>14</td><td>Sanitary TEE 4x2</td><td>20</td><td>pcs</td></tr>
</table></td><td></td><td></td><td></td></tr>
</table>

All statements and formats referring to this clause should be amended/corrected accordingly.

For guidance and information of all concerned.

For further information, please refer to:

(SGD) VINCENT B. CABANTOC
Head, BAC Secretariat
CP No. 0953-355-7046 - TM
Email Add: evsu.bacsecretariat@evsu.edu.ph

Noted:

(SGD) DANILO B. PULMA, DM
Vice President for Administration, Finance, & Auxiliary Services
Chairperson, Bids and Awards Committee